

MaineHealth

MaineHealth Knowledge Connection

Costas T. Lambrew Research Retreat 2021

Costas T. Lambrew Research Retreat

2021

Communicating about COVID-19: Strategies for promoting risk-reducing behaviors on Facebook

Liz Scharnetzki
Maine Medical Center

Nikki Jarvais
Maine Medical Center

Elizabeth Rintz
Maine Medical Center

Leo Waterston
Maine Medical Center

David Pied
Maine Medical Center

See next page for additional authors

Follow this and additional works at: <https://knowledgeconnection.mainehealth.org/lambrew-retreat-2021>



Part of the [Community Health Commons](#)

Recommended Citation

Scharnetzki, Liz; Jarvais, Nikki; Rintz, Elizabeth; Waterston, Leo; Pied, David; and Han, Paul, "Communicating about COVID-19: Strategies for promoting risk-reducing behaviors on Facebook" (2021). *Costas T. Lambrew Research Retreat 2021*. 3.
<https://knowledgeconnection.mainehealth.org/lambrew-retreat-2021/3>

This Book is brought to you for free and open access by the Costas T. Lambrew Research Retreat at MaineHealth Knowledge Connection. It has been accepted for inclusion in Costas T. Lambrew Research Retreat 2021 by an authorized administrator of MaineHealth Knowledge Connection.

Authors

Liz Scharnetzki, Nikki Jarvais, Elizabeth Rintz, Leo Waterston, David Pied, and Paul Han

Destigmatizing messages appear to be most effective at promoting COVID-19 risk-reducing behaviors

Communicating about COVID-19: Strategies for promoting risk-reducing behaviors on Facebook

Liz Scharnetzki, Nikki Jarvais, Elizabeth Rintz, Leo Waterston, David Pied, & Paul Han

Introduction


Controlling the COVID-19 pandemic requires effective public health communication strategies that can promote risk-reducing behaviors despite scientific uncertainties about their effectiveness.

The current project developed and tested different theory-based communication strategies for generating public interest in COVID-19 risk-reducing behaviors.

- Assessed the efficacy of two novel message frames – destigmatizing and uncertainty normalizing - relative to existing strategies

Method

Messages containing the following information about COVID-19 were disseminated on Facebook and Instagram:



Results

- Campaign reached >119,000 unique Mainers
- Generated 8,639 website clicks and 433 behavioral pledges, yielding a click-through-rate of 3.85% (exceeding the 0.90% industry benchmark)

CTA: Information Gathering

DS-framed messages drove the most engagement, accounting for 48% of website clicks

Messages about symptom awareness generated 98.5% of all website clicks

- DS - framed messages accounted for the majority of these clicks (47%)

CTA: Behavioral Pledge

DS messages generated the majority of pledges (31%)

Messages about wearing a mask generated 61% of all pledges

- DS-framed messages generated 32 % of these pledges

Discussion

- Promising preliminary evidence showing that the use of theory-based framing strategies and behavioral content in social media messages differentially affects users' motivation to learn about and engage in risk-reducing behaviors.
- Strategies that address stigma appear to be most effective (relative to prosocial and optimistic frames)



SCAN ME



Take a picture to download the full presentation